

ANT-WDB-ANM-0407

Dual-band omni-directional antenna: 4 dBi at 2.4 GHz or 7 dBi at 5 GHz



- > High-gain antenna to enhance performance
- > Waterproof N-type connector
- > Lightweight
- > Compact form factor
- > Housing provides IP65 protection
- > -40 to 80°C operating temperature range

Specifications

Antenna Characteristics

Frequency: 2.4 to 2.5 or 5.1 to 5.9 GHz
Antenna Type: Omni-directional
Typical Antenna Gain: 4/7 dBi
Connector: N-type (male)
Impedance: 50±5 ohms
Polarization: Linear
HPBW/horizontal: 360°
HPBW/vertical: 8/10°
V.S.W.R.: 1:1.5 max.
Power Handling: 10 W max.

Physical Characteristics


Weight: 115 g
Dimensions:
Diameter: 23 mm
Length: 220 mm
IP Rating: IP65
Radome Color: White
Radome Material: Glass fiber

Environmental Limits


Operating Temperature: -40 to 80°C (-40 to 176°F)
Storage Temperature: -40 to 80°C (-40 to 176°F)
Ambient Relative Humidity: 5 to 95% (30°C, non-condensing)

Field Patterns


H-Plane for 2.4 GHz




E-Plane for 2.4 GHz




H-Plane for 5 GHz




E-Plane for 5 GHz



Dimensions



Mounting



: Ordering Information

Available Models

ANT-WDB-ANM-0407: 2.4/5 GHz, dual-band omni-directional antenna, 4/7 dBi, N-type (male)

Can be used with the following products

AWK Series: AWK-4121, AWK-6222