

105 KEY RUBBER BACKLIT KEYBOARDS

IP65 sealed frontal, VESA-Mount option



This 105 key keyboard features a compact rubber keyboard with integrated waterproof pointing device and separate numpad. The backlit keys warrant for optimized performance while working in low-light environments. A non-backlit version is also available and a version with VESA-mounting. Options include NVIS compatible backlighting and custom dimming settings.

MAIN FEATURES

- Compact layout, 105 full travel keys
- Seperate numpad
- Dimmable backlighting at 8 levels by two dedicated keys
- Low power LED's warrant for a long life
- No external power supply necessary, keyboardport power sufficient
- White backlighting as standard, other colours on request.
- Super compact, thickness 15 mm
- Enclosure : Aluminium enclosure, black anodized
- Dimensions / weight : 331 x 110 x 14,95 cm / 0,6 kg.

- Sealing : IP65 sealed frontal
- Keys : 105 rubber keys
- Pointing Device : mini thumbstick
- Output : 1,6 m. USB cable
- Power requirements : Directly from USB port
- Operating temp. : -0°C to +70°C
- Storage temp. range : -40°C to +85°C
- Switch force : 300 grams +- 100 grams
- Switch stroke : 1,5 mm
- Lifetime switches : 1 million actuations



VESA-mount version

ORDER INFO

LAYOUT	Backlit version		Non-backlit version	
	ENCLOSED	VESA-MOUNT	ENCLOSED	VESA-MOUNT
US Qwerty	RKMB105S1USB-WLED	RKMB105V1USB-WLED	RKMB105S1USB	RKMB105V1USB
Cyrillic	RKMB105S7USB-WLED	RKMB105V7USB-WLED	RKMB105S7USB	RKMB105V7USB
French Azerty	RKMB105S33USB-WLED	RKMB105V33USB-WLED	RKMB105S33USB	RKMB105V33USB
German Qwertz	RKMB105S49USB-WLED	RKMB105V49USB-WLED	RKMB105S49USB	RKMB105V49USB

105 KEY RUBBER BACKLIT KEYBOARDS

IP65 sealed

DIMENSIONAL DRAWING STANDARD VERSION



Dim in mm.


The company reserves the right to alter without prior knowledge the specification or design of any standard product or service.

VER. 1.0

105 KEY RUBBER BACKLIT KEYBOARDS

IP65 sealed, VESA-Mount option

DIMENSIONAL DRAWING VESA-MOUNTING



The company reserves the right to alter without prior knowledge the specification or design of any standard product or service.

VER. 1.0